

**NATIONAL SUGAR INSTITUTE
(GOVERNMENT OF INDIA)
MINISTRY OF CONSUMER AFFAIRS, FOOD & PUBLIC DISTRIBUTION
(DEPARTMENT OF FOOD & PUBLIC DISTRIBUTION)**

<http://nsi.gov.in>
Website :-<http://nsi.gov.in>
Email.ID :nsikanpur@gmail.com
PHONE : 2570541, 542, 543

NO. 10(10)/E.S.F./Pur./10-11
KANPUR, DT. 04-11-11

TENDER DOCUMENT AGAINST TENDER NOTICE FOR ELECTRICAL ITEMS

For and on behalf of the President of India sealed tenders are invited by Director, National Sugar Institute, Kanpur for procurement of. Electrical items, The details are given below.

SL.No.	Particular item	Quantity required
1.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 12 way having MCBs T.P. 63 AMP, 440 Volt with RCB fitted with F.P. Isolator single/ double door (300 m A) compact design (i.e. DU 100 MCB of (HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
2.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 12 way having MCBs T.P. 32 AMP,440Volt with RCB fitted with F.P. Isolator. single /double door,(100 mA) compact design (i.e. DU 100 MCB of (HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
3.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 08 way having MCBs T.P. 16 AMP, 440 Volt with RCB fitted with F.P. Isolator single/ double door (100 m A) compact design (i.e. DU 100 MCB of (HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
4.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 08 way having MCBs T.P. 32 AMP, 440 Volt with RCB fitted with F.P. Isolator single/ double door (100 m A) compact design (i.e. DU 100 MCB of (HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
5.	THERMAT OVERLOND REAY Range : 22-30 Amp, Series A1, Type: Gg/G163 Amax For Star Delta Starter Type: NASAMLEN Make : Bhartiya Cuttler Hammer	Six

6.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 12 way having MCBs T.P. 32 AMP, 440 Volt with RCB fitted with F.P. Isolator. single/ double door (100 m A) compact design (i.e. DU 100 MCB of HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
7.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 12 way having MCBs T.P. 16 AMP, 440 Volt with RCB fitted with F.P. Isolator. single/ double door (100 m A) compact design (i.e. DU 100 MCB of HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
8.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 04 way having MCBs T.P. 32 AMP, 440 Volt with RCB fitted with F.P. Isolator. single/ double door (100 m A) compact design (i.e. DU 100 MCB of HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
9.	Vertical Tripal pole with nutral and bus bar, prewired MCB Distribution board 08 way having MCBs T.P. 16 AMP, 440 Volt with RCB fitted with F.P. Isolator. single/ double door (100 m A) compact design (i.e. DU 100 MCB of HPL) Make: SEIMENS/L&T/ HPL/C&S	Two
10.	Switch Fuse Unit (I.C.T.P.N.) "Hi-safe"32 AMP Rewireable Fuse Make HEVELLS/SEIMENS/HPL	Four
11.	Switch Fuse Unit (I.C.T.P.N.) "Hi-safe"63 AMP Rewireable Fuse Make HEVELLS/SEIMENS/HPL	Three
12.	Switch Fuse Unit (I.C.T.P.N.) "Hi-safe"100 AMP Rewireable Fuse Make HEVELLS/SEIMENS/HPL	Two
13.	SOLINOID VAIVE Type: FSS 02/5-2900 Volt: 220/240/230 Maximum pressure kg/cu2 7 air Make: Precision Instrument Co., Bombay OR AVCON AUTOCONTROL's Bombay	Three
14.	SOLINOID VAIVE Model ISD Pressure :05 to .12 bar Media : Air Water, Oil & Gas. Volt. 230 AC Type : NIC Size: 25-SE	Four

15.	T.P MCB 16 AMP 415 valt Code No. BBCSD12163 Make:- HPL, L&T, C&S	Five
16.	T.P. MCB 32 AMP 415 valt above code, Make: HPL, L&T, C&S	Five
17.	T.P. MCB 63 AMP 415 valt above code, Make: HPL, L&T, C&S	Five
18.	F.P. Isolator 63 AMP 415 valt Make: HPL, L&T, C&S	Two
19.	F.P. Isolator 32 AMP 415 valt Make: HPL, L&T, C&S	Two
20.	1.5mm ² P.V.C Aluminium Conductor wire	02 Rolls
21.	Gray Paint , Burger Noreolec	05 Ltr.
22.	Red Paint, Burger, Narolec	02 Ltr.
23.	Pendent Holder 100 Volt	24

TERMS & CONDI TIONS:-

1. Parties will arrange testing of equipment.
2. Parties should have PAN and TIN No.
3. Registered contractors having work experience in relative field may quote the rates by depositing fixed deposit Receipts @5% of the quoted amount pledged in the name of Director, National Sugar Institute, Kanpur.
4. The supply in all respect shall have to be made within 30 days from the date of issue of order
5. The E.M.D. shall be returned after the satisfactory completion of supply in the event the offer is accepted.
6. Under no condition the Institute shall entertain advance payment or part of payment against part supply. This point is very clear and pertinent for submitting offer.
7. All the quotees are requested to submit their PAN/TIN details and taxes applicable as break up of the quoted rate.
8. The Director, National Sugar Institute, Kanpur reserves the right to reject any or all the tender offers, without assigning any reason.
9. The last date for the submission of offer shall be up to 3.00 p.m. and tender shall be opened in the presence of the tenderers at 4.00 p.m. on same day.

(ABHAI KUMAR)
Admin-cum-Purchase & Sales Officer
For Director